

Classic Fresh Linen 270ml Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 24/03/2017 Version: 1.0

SECTION 1: Identification of the s	substance/mixture and	of the company/undertaking
1.1. Product identifier		
Product form	: Mixture	
Product name	: Classic Fresh Linen 2	70ml
Type of product	: Aerosol	
Vaporizer	: Aerosol	
Product group	: Aerosol	
Other means of identification	: W215 Classic Fresh L	inen 270 MI
1.2. Relevant identified uses of the s	ubstance or mixture and us	es advised against
1.2.1. Relevant identified uses		
Main use category	: Professional use,Indu	strial use
Function or use category	: Air care products	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the sat	ety data sheet	
Supplier		Manufacturer
Pelsis Sterling House		Pelsis Sterling House
HG5 8PJ Knaresbrough - U.K.		HG5 8PJ Knaresbrough - U.K.
T +44(0)800 988 5359 - F +44(0)1423 863 4		T +44(0)800 988 5359 - F +44(0)1423 863 497 Pilny kontakt: +49 (770)
422-2071 (Kontakt w godzinach od 8 do 17 Brühman Paul Phone: +49(34925)76-0		422-2071 (Kontakt w godzinach od 8 do 17 w dni robocze) Herr Brühman Paul Phone: +49(34925)76-0
1.4. Emergency telephone number		
No additional information available		
SECTION 2: Hazards identification	n	
2.1. Classification of the substance	or mixture	
Classification according to Regulation (E	C) No. 1272/2008 [CLP]	
Aerosol, Category 1 H2	22;H229	
Full text of H statements : see section 16		
Adverse physicochemical, human health	and onvironmental effects	
No additional information available	and environmental enects	
2.2. Label elements		
Labelling according to Regulation (EC) N	0 1272/2008 [CLP]	
Hazard pictograms (CLP)		
	GHS02	
Signal word (CLP)	: Danger	
Hazard statements (CLP)	: H222 - Extremely flam	
		ontainer: May burst if heated
Precautionary statements (CLP)		m heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking P251 - Do not pierce o	or burn, even after use
	P410+P412 - Protect	from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
	. ,	n an open flame or other ignition source
EUH-statements	: EUH208 - Contains (F reaction	R)-p-mentha-1,8-diene, d-limonene(5989-27-5). May produce an allergic
2.3. Other hazards		
No additional information available		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substance Not applicable

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butane	(CAS No) 106-97-8 (EC no) 203-448-7 (EC index no) 601-004-00-0 (REACH-no) 01-2119474691-32	~33	Flam. Gas 1, H220
isobutane	(CAS No) 75-28-5 (EC no) 200-857-2 (EC index no) 601-004-00-0 (REACH-no) 01-2119485395-27	~23	Flam. Gas 1, H220 Compressed gas, H280
ethanol, ethyl alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	~15	Flam. Liq. 2, H225
propane	(CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5 (REACH-no) 01-2119486944-21	~12	Flam. Gas 1, H220 Compressed gas, H280
propan-2-ol, isopropyl alcohol, isopropanol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0	~10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
2,6-Dimethyloct-7-en-2-ol	(CAS No) 18479-58-8 (EC no) 242-362-4	<1,3	Eye Irrit. 2, H319
(R)-p-mentha-1,8-diene, d-limonene	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	~1.7	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-(4-tert-butylbenzyl)propionaldehyde	(CAS No) 80-54-6 (EC no) 201-289-8	<0.25	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Aquatic Chronic 2, H411
Benzyl salicylate	(CAS No) 118-58-1 (EC no) 204-262-9	~0.36	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H-statements: see section 16

SEC	FION 4: First aid measures	
4.1.	Description of first aid measures	
First-a	d measures general	: Exposure may produce an allergic reaction. IF exposed or concerned: Get medical advice/attention.
First-a	d measures after inhalation	: Get medical advice/attention if you feel unwell.
First-a	d measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
First-a	d measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
4.2.	Most important symptoms and effe	cts, both acute and delayed
C. man		

Symptoms/injuries after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. No specific measures are required provided the product is handled in accordance with the general rules of occupational hygiene and safety. **4.1**. First aid measures.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: dry extinguishing powder. Carbon dioxide. Foam. dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	bstance or mixture
Hazardous decomposition products in case of fire	: Under fire conditions, hazardous fumes will be present. Carbon monoxide. Organic compounds.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters	
Protection during firefighting	: In case of inadequate ventilation wear respiratory protection. Do not breathe vapour.
Other information	: Use water spray or fog for cooling exposed containers. Continue water spray from protected position until container stays cool. Avoid (reject) fire-fighting water to enter environment. Do no allow run-off from fire-fighting to enter drains or water courses.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective e	equipment and emergency procedures
General measures	 Avoid inhalation of vapours. Avoid all contact with skin, eyes, or clothing. See Headings 7 and 8. Ensure there is adequate ventilation. Remove ignition sources. Vapours may be heavier than air.
6.1.1. For non-emergency personnel No additional information available	
6.1.2. For emergency responders No additional information available	
6.2. Environmental precautions	
Do not discharge into drains or the environmer	nt. Do not contaminate ground and surface water. Prevent soil and water pollution.
6.3. Methods and material for containr	ment and cleaning up
For containment	: Cover with dry chemical, sand or vermiculite to prevent further contact with air.
Other information	: Keep away from sources of ignition - No smoking. Ensure adequate ventilation. Do not breathe vapours. Dispose in a safe manner in accordance with local/national regulations.
6.4.Reference to other sectionsReference to other sections (8, 13).	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.1. Precautions for safe handling Precautions for safe handling	smoking.
7.1. Precautions for safe handling Precautions for safe handling	smoking.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include 	smoking. ding any incompatibilities
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature 	smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources 	 smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. : <= 3 year : < 50 (0 - 30) °C °C : Keep away from heat and direct sunlight.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources 	smoking. ding any incompatibilities : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. : <= 3 year : < 50 (0 - 30) °C °C
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) 	 smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. < = 3 year < 50 (0 - 30) °C °C Keep away from heat and direct sunlight. Keep locked up and out of the reach of children.
7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) Handle in accordance with good industrial hygin	smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. : <= 3 year : < 50 (0 - 30) °C °C : Keep away from heat and direct sunlight. : Keep locked up and out of the reach of children. iene and safety practice.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) 	smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. : <= 3 year : < 50 (0 - 30) °C °C : Keep away from heat and direct sunlight. : Keep locked up and out of the reach of children. iene and safety practice.
7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) Handle in accordance with good industrial hygin	smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. : <= 3 year : < 50 (0 - 30) °C °C : Keep away from heat and direct sunlight. : Keep locked up and out of the reach of children. iene and safety practice.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) Handle in accordance with good industrial hygi SECTION 8: Exposure controls/per 	smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. : <= 3 year : < 50 (0 - 30) °C °C : Keep away from heat and direct sunlight. : Keep locked up and out of the reach of children. iene and safety practice.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) Handle in accordance with good industrial hygit SECTION 8: Exposure controls/per 8.1. Control parameters No additional information available 	smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. : <= 3 year : < 50 (0 - 30) °C °C : Keep away from heat and direct sunlight. : Keep locked up and out of the reach of children. iene and safety practice.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) Handle in accordance with good industrial hygit SECTION 8: Exposure controls/per 8.1. Control parameters No additional information available 8.2. Exposure controls 	 smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. <= 3 year < 50 (0 - 30) °C °C Keep away from heat and direct sunlight. Keep locked up and out of the reach of children.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) Handle in accordance with good industrial hygit SECTION 8: Exposure controls/per 8.1. Control parameters No additional information available 8.2. Exposure controls Hand protection: 	 smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. <= 3 year < 50 (0 - 30) °C °C Keep away from heat and direct sunlight. Keep locked up and out of the reach of children.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) Handle in accordance with good industrial hygit SECTION 8: Exposure controls/per 8.1. Control parameters No additional information available 	smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. : <= 3 year : < 50 (0 - 30) °C °C : Keep away from heat and direct sunlight. : Keep locked up and out of the reach of children. iene and safety practice.
 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, include Storage conditions Maximum storage period Storage temperature Heat and ignition sources Storage area 7.3. Specific end use(s) Handle in accordance with good industrial hygit SECTION 8: Exposure controls/per 8.1. Control parameters No additional information available 8.2. Exposure controls Hand protection: Wear suitable gloves 	smoking. ding any incompatibilities Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. : <= 3 year : < 50 (0 - 30) °C °C : Keep away from heat and direct sunlight. : Keep locked up and out of the reach of children. iene and safety practice.

High gas/vapour concentration: compressed air/oxygen BA

Device	Filter type	Condition	Standard
	Type A - High-boiling (>65 °C) organic compounds		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Aerosol.
Colour	: Colourless.
Odour	: Fragrance compound. alcohol odour.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -402 °C
Flash point	: -60 °C
Auto-ignition temperature	: 365 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 2,7 bar Pressurized metal container
Relative vapour density at 20 °C	: No data available
Relative density	: 0,63 g/cm³
Solubility	: In water, material is partially soluble. Soluble in alcohols. Soluble in hydrocarbons.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Lower explosive limit (LEL)	: 1,5 vol %
Upper explosive limit (UEL)	: 8,5 vol %
9.2 Other information	

9.2. Other information

No additional information available

10.1. Reactivity	
None under normal use.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous react	ions
None under normal conditions.	
10.4. Conditions to avoid	
Do not expose to temperatures exceeding	50 °C/ 122 °F. Keep away from sources of ignition - No smoking.
10.5. Incompatible materials	
Strong acids. Bases. Detergent.	
10.6. Hazardous decomposition pro	oducts
No additional information available	

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Classic Fresh Linen 270ml	
LD50 oral rat	5000 mg/kg OECD 401
LD50 dermal rabbit	10000 mg/kg
LC50 inhalation rat (mg/l)	> 1800 mg/l/4h
Skin corrosion/irritation	: Slightly irritant but not relevant for classification

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information	: Repeated dermal contact with material can lead to defatting of the skin Repeated exposure may cause skin dryness or cracking
Serious eye damage/irritation	: Slightly irritant but not relevant for classification
Respiratory or skin sensitisation	: May produce an allergic reaction
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Classic Fresh Linen 270ml	
Vaporizer	Aerosol

SECTION 12: Ecological information

euciscus idus OECD 203
aphnia magna OECD202
enedusmus subspicatus OECD 201
)

12.2.	Persistence and degradability					
No addi	tional information available					
12.3.	Bioaccumulative potential					
No addi	tional information available					
12.4.	Mobility in soil					
No additional information available						
12.5.	12.5. Results of PBT and vPvB assessment					
No addi	tional information available					
12.6.	Other adverse effects					
	tional information available					
SECT	ION 13: Disposal consideratior	פו				
13.1.	Waste treatment methods					
	e disposal recommendations	: non-composted fraction of municipal and similar wastes.				
-	/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point.				
Additional information		 Empty containers should be taken for recycle, recovery or waste in accordance with local regulation. 				
Europea	an List of Waste (LoW) code	: 20 01 40 - metals				
SECT	ION 14: Transport information					
	rdance with ADR					
14.1.	UN number					
UN-No.	(ADR)	: 1950				
14.2.	UN proper shipping name					
		: AEROSOLS				
Transport document description (ADR)		: UN 1950 AEROSOLS , 2.1, (D)				
14.3.	Transport hazard class(es)					
17.0.						

ADR		
Transport hazard class(es) (ADR)	:	2.1
Danger labels (ADR)	:	2.1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

:



14.4. Packing group	
Packing group (ADR)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
44.7 Transment in bully according to Av	and the IDC code

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	ethanol, ethyl alcohol - propan-2-ol, isopropyl alcohol, isopropanol
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	ethanol, ethyl alcohol - propan-2-ol, isopropyl alcohol, isopropanol
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	propan-2-ol, isopropyl alcohol, isopropanol
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	ethanol, ethyl alcohol - propane - butane - isobutane - propan-2-ol, isopropyl alcohol, isopropanol

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-state	ments:
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Compressed gas	Gases under pressure : Compressed gas
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU (REACH Annex II)

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable