OSAN APPLE

Page: 1

Compilation date: 19/05/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: OSAN APPLE

Product code: 66

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaning Solution.

1.3. Details of the supplier of the safety data sheet

Company name: Ottimo Supplies Ltd.

7 Livingstone Mills Howard Street Batley West Yorkshire WF17 6JH United Kingdom Tel: +44 (0)1924 469665

144 (0)1524 405005

Fax: +44 (0)1924 463328

Email: sales@ottimo-supplies.com

1.4. Emergency telephone number

Emergency tel: +44 (0)1924 469665

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Label elements under CLP:	
Hazard statements:	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark



Precautionary statements: P264: Wash hands thoroughly after handling.

OSAN APPLE

Page: 2

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+352: IF ON SKIN: Wash with plenty of soap and water.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+313: If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

BENZYLKONIUM CHLORIDE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
270-325-2	68424-85-1	-	Acute Tox. 4: H302+312; Aquatic Acute	1-10%
			1: H400; Skin Corr. 1B: H314	

2-BUTOXYETHANOL

203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312;	<1%
			Acute Tox. 4: H302; Eye Irrit. 2: H319;	
			Skin Irrit. 2: H315	

PROPAN-2-OL

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	<1%	
			STOT SE 3: H336		Ĺ

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

- **Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
 - **Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.
 - Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.

OSAN APPLE

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): PC35: Washing and cleaning products (including solvent based products).

OSAN APPLE

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-BUTOXYETHANOL

Workplace exposure limits:

State8 hour TWA15 min. STEL8 hour TWA15 min. STELUK25 ppm50 ppm--

Respirable dust

PROPAN-2-OL

UK 999 mg/m3 1250 mg/n	
------------------------	--

DNEL/PNEC Values

Hazardous ingredients:

PROPAN-2-OL

Туре	Exposure	Value	Population	Effect
DNEL	Oral	26 mg/kg bw/day	Consumers	Systemic
DNEL	Dermal	319 mg/kg bw/day	Consumers	Systemic
DNEL	Dermal	888 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	89 mg/m³	Consumers	Systemic
DNEL	Inhalation	500 mg/m³	Workers	Systemic
PNEC	Fresh water	140.9 mg/l	-	-
PNEC	Fresh water sediments	552 mg/kg	-	-
PNEC	Marine water	140.9 mg/l	-	-
PNEC	Marine sediments	552 mg/kg	-	-
PNEC	Soil (agricultural)	28 mg/kg	-	-

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Respiratory protection not required.
Hand protection:	Protective gloves.
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.
Skin protection:	Protective clothing.
Environmental:	Refer to specific Member State legislation for requirements under Community
	environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

OSAN APPLE

			Pag	ge: 5
Colour:	Green			
Odour:	Characteristic odour			
Evaporation rate:	No data available.			
Oxidising:	Non-oxidising (by EC criteria)			
Solubility in water:	Soluble			
Viscosity:	No data available.			
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.	
Flammability limits %: lower:	No data available.	upper:	No data available.	
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.	
Autoflammability°C:	No data available.	Vapour pressure:	No data available.	
Relative density:	1.01	pH:	11	
VOC g/l:	No data available.			

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

OSAN APPLE

2-BUTOXYETHANOL

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

PROPAN-2-OL

ORAL	MUS	LD50	3600	mg/kg
ORAL	RAT	LD50	5045	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

BENZYLKONIUM CHLORIDE

FISH 96H LC50	0.8	mg/l
---------------	-----	------

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

OSAN APPLE

Page: 7

erations
ds
Transfer to a suitable container and arrange for collection by specialised disposal
company.
Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
The user's attention is drawn to the possible existence of regional or national
regulations regarding disposal.
ation
This product does not require a classification for transport.
nation
onmental regulations/legislation specific for the substance or mixture
Not applicable.
ment
A chemical safety assessment has not been carried out for the substance or the mixture
by the supplier.
n
This safety data sheet is prepared in accordance with Commission Regulation (EU) No
453/2010.
This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.
17777008
H225: Highly flammable liquid and vapour.
H225: Highly flammable liquid and vapour. H302: Harmful if swallowed.
H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H302+312: Harmful if swallowed or in contact with skin.
H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H302+312: Harmful if swallowed or in contact with skin. H312: Harmful in contact with skin.
H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H302+312: Harmful if swallowed or in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage.
H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H302+312: Harmful if swallowed or in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation.
 H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H302+312: Harmful if swallowed or in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H319: Causes serious eye irritation.
 H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H302+312: Harmful if swallowed or in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H319: Causes serious eye irritation. H332: Harmful if inhaled.
 H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H302+312: Harmful if swallowed or in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H319: Causes serious eye irritation. H332: Harmful if inhaled. H336: May cause drowsiness or dizziness.
 H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H302+312: Harmful if swallowed or in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H319: Causes serious eye irritation. H332: Harmful if inhaled. H336: May cause drowsiness or dizziness. H400: Very toxic to aquatic life.
 H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H302+312: Harmful if swallowed or in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H319: Causes serious eye irritation. H332: Harmful if inhaled. H336: May cause drowsiness or dizziness.