PINE FLOOR GEL

Page: 1

Compilation date: 02/03/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PINE FLOOR GEL

Product code: PFG5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaning Solution.

1.3. Details of the supplier of the safety data sheet

Company name: Ottimo Supplies Ltd.

7 Livingstone Mills

Howard Street

Batley

West Yorkshire

WF17 6JH

United Kingdom

Tel: +44 (0)1924 469665

Fax: +44 (0)1924 463328

Email: sales@ottimo-supplies.com

1.4. Emergency telephone number

Emergency tel: +44 (0)1924 469665

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317

Classification under CHIP: Xi: R36; Sens.: R43; -: R52/53

Most important adverse effects: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye

damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark

[cont...]

PINE FLOOR GEL

Page: 2



Precautionary statements: P102: Keep out of reach of children.

P261: Avoid breathing vapours.

P264: Wash hands thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P332+313: If skin irritation occurs: Get medical advice/attention.

P333+313: If skin irritation or rash occurs: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM OLEATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
205-591-0	143-19-1	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-10%
ISOTRIDECAN	NOL, ETHOXYLA	TED (>5-20 EO)		
-	69011-36-5	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412	1-10%
L-LIMONENE				
227-815-6	227-815-6 5989-54-8 -		Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	1-10%
PROPAN-2-OI	L			
200-661-7	200-661-7 67-63-0 -		Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	1-10%

PINE FLOOR GEL

Page: 3

TERPINEOL

232-268-1	8000-41-7	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-10%
-----------	-----------	---	---	-------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for

specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult

a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and pain. The eyes may water profusely. The vision may

become blurred. Corneal burns may occur. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure

may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action

PINE FLOOR GEL

Page: 4

without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Avoid contact with the skin or eyes.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air. The floor of the storage room must be impermeable to prevent the escape of liquids Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room

must be impermeable to prevent the escape of liquids. Keep container upright

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): PC35: Washing and cleaning products (including solvent based products).

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

DNEL/PNEC Values

PINE FLOOR GEL

Page: 5

Hazardous ingredients:

PROPAN-2-OL

Туре	Exposure	Value	Population	Effect
DNEL	Oral	26 mg/kg bw/day	Consumers	Systemic
DNEL	Dermal	319 mg/kg bw/day	Consumers	Systemic
DNEL	Dermal	888 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	89 mg/m ³	Consumers	Systemic
DNEL	Inhalation	500 mg/m ³	Workers	Systemic
PNEC	Fresh water	140.9 mg/l	-	-
PNEC	Fresh water sediments	552 mg/kg	-	-
PNEC	Marine water	140.9 mg/l	-	-
PNEC	Marine sediments	552 mg/kg	-	-
PNEC	Soil (agricultural)	28 mg/kg	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: With normal ventilation and usage, respiratory protection is not required. Do not create

and breath spray mist. If ventilation is insufficient, suitable respiratory protection must be

provided.

Hand protection: Protective gloves.

Eye protection: Safety glasses with side-shields. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid
Colour: Orange

Odour: Characteristic odour **Evaporation rate:** No data available.

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Boiling point/range°C: No data available. Melting point/range°C: No data available.

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: No data available.

Autoflammability°C: Not applicable. Vapour pressure: No data available.

Relative density: 1 pH: 8-9

VOC g/I: No data available.

PINE FLOOR GEL

Page:

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

OR	AL	MUS	LD50	3600	mg/kg
OR	AL	RAT	LD50	5045	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and pain. The eyes may water profusely. The vision may

become blurred. Corneal burns may occur. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure

may cause coughing or wheezing.

PINE FLOOR GEL

Page: 7

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms. Harmful to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised

disposal company.

Disposal of packaging: Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or

national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

PINE FLOOR GEL

Page: 8

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU)

No 2015/830

This safety data sheet is prepared in accordance with Commission Regulation (EC)

No 1272/2008.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

R36: Irritating to eyes.

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all

inclusive and shall be used only as a guide. This company shall not be held liable

for any damage resulting from handling or from contact with the above product.